

## Certificate of Analysis

**Prepared For:** Simple Garden Laboratory ID: 2022-12-20-020 Sample ID: Cookie Dough **Date Received:** 12/20/2022 Batch ID: Koko Nuggz D8 500mg **Date Reported:** 12/22/2022 Sample Weight (mg): 5320.40 **Testing Protocol:** Potency Material: Edible **HPLC Testing Method:** 



Water Activity Moisture Density (g/mL) Terpenes рΗ NT NT NT NT NT

## **Cannabinoid Potency Analysis**

1.03	0.00% 0.00% 0.00%	Δ10-THC (R+S) Δ9-THC Δ9-THCA Δ8-THC
1.03/	0.00%	Δ9-THCP
	0.00%	Δ9-THC-O Acetate
	0.00%	HHC (R+S)
	0.00%	Δ9-THCV
	0.00%	Δ9-THCVA
	0.00%	CBD
	0.00%	CBDA
	0.00%	CBDV
	0.00%	CBDVA
	0.00%	CBG
	0.00%	CBGA
	0.00%	CBN

	Analyte	LOQ (%)	(%)	(mg/g)	mg/Sample
	Δ10-THC (R+S)	0.01	0.00%	0.0	0.0
	Δ9-ΤΗС	0.01	0.00%	0.0	0.0
	Δ9-ΤΗCΑ	0.01	0.00%	0.0	0.0
	Δ8-ΤΗС	0.01	1.03%	10.3	54.8
	Δ9-ΤΗСΡ	0.01	0.00%	0.0	0.0
	Δ9-THC-O Acetate	0.01	0.00%	0.0	0.0
	HHC (R+S)	0.01	0.00%	0.0	0.0
	Δ9-THCV	0.01	0.00%	0.0	0.0
	Δ9-THCVA	0.01	0.00%	0.0	0.0
	CBD	0.01	0.00%	0.0	0.0
	CBDA	0.01	0.00%	0.0	0.0
	CBDV	0.01	0.00%	0.0	0.0
	CBDVA	0.01	0.00%	0.0	0.0
	CBG	0.01	0.00%	0.0	0.0
	CBGA	0.01	0.00%	0.0	0.0
	CBN	0.01	0.00%	0.0	0.0
	CBNA	0.01	0.00%	0.0	0.0
	CBC	0.01	0.00%	0.0	0.0
	CBCA	0.01	0.00%	0.0	0.0
	Total		1.03%	10.3	54.8



Authenticity QR Code

Analyst: Josh Peterson **Date Tested:** 12/20/2022

0.00%

0.00%

0.00%

**CBNA** 

**CBCA** 

CBC

1.03% **Total Cannabinoids** 

0.00% **Total THC** 

0.00% **Total CBD** 

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation, ND= Not Detected, NT = Not Tested, NR = Not Reported, Density tested at a temperature range of 19-24 °C, Water Activity tested at a humidity range of 0-90% relative humidity.

**Final Approval:** 

Jeff Peterson, Lab Director

Brian Schroeder, Managing Partner

**Date Signed** and Approved:

12/22/2022

417 Ransdell Road, Lebanon, IN 46052 (844)-655-6935

agrozenlabs.com



Agrozen Labs provides COA's based on samples received into our facility and analysis according to our SOP's. Tests are completed at our certified testing laboratory through the State of Indiana by certified laboratory technicians. Reference standards and test samples are measured against submitted samples to ensure testing accuracy. Agrozen Labs has generated the information for our client who reserves all rights to the report. The report may not be duplicated, except in full, or altered without written consent from Agrozen Labs.