

**Prepared For:** Simple Garden  
**Sample ID:** Watermelon Zkittles  
**Batch ID:** 2ml HHC  
**Sample Weight (mg):** 1 g +/-  
**Material:** Distillate

**Laboratory ID:** 2023-09-13-006  
**Date Received:** 9/13/2023  
**Date Reported:** 9/18/2023  
**Testing Protocol:** Potency  
**Testing Method:** HPLC



Water Activity  
**NT**

pH  
**NT**

Moisture  
**NT**

Density (g/mL)  
**NT**

Terpenes  
**NT**

## Cannabinoid Potency Analysis

		Analyte	LOQ (%)	(%)	(mg/g)
Δ10-THC (R+S)	0.00%	Δ10-THC (R+S)	0.01	0.00%	0.0
Δ9-THC	0.00%	Δ9-THC	0.01	0.00%	0.0
Δ9-THCA	0.00%	Δ9-THCA	0.01	0.00%	0.0
Δ8-THC	0.79%	Δ8-THC	0.01	0.79%	7.9
Δ9-THCP	0.00%	Δ9-THCP	0.01	0.00%	0.0
Δ9-THC-O Acetate	0.00%	Δ9-THC-O Acetate	0.01	0.00%	0.0
HHC (R+S)	85.36%	HHC (R+S)	0.01	85.36%	853.6
Δ9-THCV	0.00%	Δ9-THCV	0.01	0.00%	0.0
Δ9-THCVA	0.00%	Δ9-THCVA	0.01	0.00%	0.0
CBD	0.35%	CBD	0.01	0.35%	3.5
CBDA	0.00%	CBDA	0.01	0.00%	0.0
CBDV	0.00%	CBDV	0.01	0.00%	0.0
CBDVA	0.00%	CBDVA	0.01	0.00%	0.0
CBG	0.00%	CBG	0.01	0.00%	0.0
CBGA	0.00%	CBGA	0.01	0.00%	0.0
CBN	0.04%	CBN	0.01	0.04%	0.4
CBNA	0.00%	CBNA	0.01	0.00%	0.0
CBC	0.00%	CBC	0.01	0.00%	0.0
CBCA	0.00%	CBCA	0.01	0.00%	0.0
<b>Total</b>				<b>86.54%</b>	<b>865.4</b>



Agrozen Laboratory  
 Authenticity QR Code

**Analyst:**  
 Josh Peterson  
**Date Tested:**  
 9/13/2023

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation, ND= Not Detected, NT = Not Tested,  
 NR = Not Reported, Density Tested at a temperature range of 19-24 °C , Water Activity tested at a humidity range of 0-90% relative humidity.

**86.54%**  
 Total Cannabinoids


**0.00%**  
 Total THC

**0.35%**  
 Total CBD

## Final Approval:



Jeff Peterson, Lab Director



Brian Schroeder, Managing Partner

Date Signed  
 and Approved:  
 9/18/2023

417 Ransdell Road,  
 Lebanon, IN 46052  
 (844)-655-6935  
 agrozenlabs.com



Agrozen Labs provides COA's based on samples received into our facility and analysis according to our SOP's. Tests are completed at our certified testing laboratory through the State of Indiana by certified laboratory technicians. Reference standards and test samples are measured against submitted samples to ensure testing accuracy. Agrozen Labs has generated the information for our client who reserves all rights to the report. The report may not be duplicated, except in full, or altered without written consent from Agrozen Labs.