

<b>Prepared For:</b>	Simple Garden	<b>Laboratory ID:</b>	2024-05-23-003
<b>Sample ID:</b>	D9 Gummy (15ct) - Cherry	<b>Date Received:</b>	1/3/2025
<b>Batch ID:</b>	SG9041824-5	<b>Date Reported:</b>	1/10/2025
<b>Sample Weight (mg):</b>	4478.50	<b>Testing Protocol:</b>	Potency
<b>Material:</b>	Gummy	<b>Testing Method:</b>	HPLC

Water Activity

**NT**

pH

**NT**

Moisture

**NT**

Density (g/mL)

**NT**

Terpenes

**NT**

## Cannabinoid Potency Analysis

			Analyte	LOQ (%)	(%)	(mg/g)	mg/Sample
Δ10-THC (R+S)	0.00%		Δ10-THC (R+S)	0.01	0.00%	0.0	0.0
Δ9-THC		0.22%	Δ9-THC	0.01	0.22%	2.2	10.1
Δ9-THCA	0.00%		Δ9-THCA	0.01	0.00%	0.0	0.0
Δ8-THC	0.00%		Δ8-THC	0.01	0.00%	0.0	0.0
Δ9-THCP	0.00%		Δ9-THCP	0.01	0.00%	0.0	0.0
Δ9-THC-O Acetate	0.00%		Δ9-THC-O Acetate	0.01	0.00%	0.0	0.0
HHC (R+S)	0.00%		HHC (R+S)	0.01	0.00%	0.0	0.0
Δ9-THCV	0.00%		Δ9-THCV	0.01	0.00%	0.0	0.0
Δ9-THCVA	0.00%		Δ9-THCVA	0.01	0.00%	0.0	0.0
CBD	0.00%		CBD	0.01	0.00%	0.0	0.0
CBDA	0.00%		CBDA	0.01	0.00%	0.0	0.0
CBDV	0.00%		CBDV	0.01	0.00%	0.0	0.0
CBDVA	0.00%		CBDVA	0.01	0.00%	0.0	0.0
CBG	0.00%		CBG	0.01	0.00%	0.0	0.0
CBGA	0.00%		CBGA	0.01	0.00%	0.0	0.0
CBN	0.00%		CBN	0.01	0.00%	0.0	0.0
CBNA	0.00%		CBNA	0.01	0.00%	0.0	0.0
CBC	0.00%		CBC	0.01	0.00%	0.0	0.0
CBCA	0.00%		CBCA	0.01	0.00%	0.0	0.0
<b>Total</b>					0.22%	2.2	10.1


**Analyst ID:**

AGR030701

**Date Tested:**

1/10/2025

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation, ND= Not Detected, NT = Not Tested, NR = Not Reported, Density tested at a temperature range of 19-24 °C, Water Activity tested at a humidity range of 0-90% relative humidity.

**0.22%**

Total Cannabinoids

**0.22%**

Total THC

**0.00%**

Total CBD

**Final Approval:**


Jeff Peterson, Lab Director

Date Signed

and Approved:

1/10/2025

417 Ransdell Road,

Lebanon, IN 46052

(844)-655-6935

agrozenlabs.com



Agrozen Labs provides COA's based on samples received into our facility and analysis according to our SOP's. Tests are completed at our certified testing laboratory through the State of Indiana by certified laboratory technicians. Reference standards and test samples are measured against submitted samples to ensure testing accuracy. Agrozen Labs has generated the information for our client who reserves all rights to the report. The report may not be duplicated, except in full, or altered without written consent from Agrozen Labs.